		235	.Flow control of data
200	PHANTOM	233	transmission through a network
201	CROSSTALK SUPPRESSION	005 1	
202	AMPLITUDE COMPRESSION OR	235.1	Using leaky bucket technique
	EXPANSION	236	Including signaling between
203	GENERALIZED ORTHOGONAL OR SPECIAL	005.1	network elements
	MATHEMATICAL TECHNIQUES	236.1	Using RM (Resource Management)
204	.Plural diverse modulation		cells
	techniques	236.2	Using OAM (Operation,
205	Pulse width and pulse position		Administration and
	modulation		Maintenance) cells
206	.Quadrature carriers	237	Congestion based rerouting
207	Having a signaling	238	Least cost or minimum delay
	constellation		routing
208	.Particular set of orthogonal	238.1	ATM least cost routing
	functions	239	.Using antijabber circuit
209	Walsh functions	240	In a star coupler
210	.Fourier transform	241	DIAGNOSTIC TESTING (OTHER THAN
211	.Level multiplex		SYNCHRONIZATION)
212	PULSE WIDTH (PULSE DURATION)	241.1	.Using OAM (Operation,
212	MODULATION		Administration and
213	PULSE POSITION MODULATION		Maintenance) cells
213	SIMULTANEOUS TELEGRAPHY AND	242	.Fault detection
214	TELEPHONY	243	Of a repeater system
215	PHASE MODULATION	244	Of a switching system
		245	Of a local area network
216	FAULT RECOVERY	246	.Of a repeater
217	.Bypass an inoperative switch or	247	Having a dedicated test line or
	inoperative element of a		channel
010	switching system	248	.Path check
218	Packet switching system or	249	.Loopback
	element	250	.Of a switching system
219	Standby switch	251	Having dedicated test line or
220	Standby switch	231	channel
221	.Bypass an inoperative station	252	.Determination of communication
222	In a ring or loop network	232	
223	Using a secondary ring or loop	252	parameters
224	Loopback of signals on the	253	Measurement of flow rate of
	secondary ring or loop		messages having an address
225	.Bypass an inoperative channel	0.5.4	header
226	In a repeater system	254	NETWORK CONFIGURATION
227	Using a spare channel		DETERMINATION
228	Spare channel	255	.Using a particular learning
229	DATA FLOW CONGESTION PREVENTION		algorithm or technique
	OR CONTROL	256	Spanning tree
230	.Control of data admission to the	257	.In a bus system
	network	258	In a ring system
230.1	Traffic shaping	259	SPECIAL SERVICES
231	End-to-end flow control	260	.Conferencing
232	Based on data flow rate	261	Technique for setting up a
	measurement		conference call
233	Measurement of the peak data	262	Operator setup of the
د د د	flow rate		conference
224		263	Conferee signals combined or
234	Measurement of the average		distributed via time channels
	data flow rate		

264	Using plural diverse channel communications with a dedicated signaling channel	300 301	.Data assembly or formatting .Transmitting time of transition and logic state
	(i.e., ISDN)	302	.Channels separated in frequency
265	Particular technique for	303	Rotary distributor
	combining diverse information	304	Synchronizer
	types	305	Start-Stop
266	Using summation of conferee	306	Nonmechanical
	signals	307	TRASMULTIPLEXERS
267	Digital summation	308	RESONANT TRANSFER TECHNIQUES
268	Including cancellation of	309	RESONANT TRANSFER SUBSTITUTES
	certain signals	310	COMMUNICATION OVER FREE SPACE
269	Including cancellation of	310.1	.Using ATM as a wireles protocol
	certain signals	310.1	Having a plurality of
270	.Distribution of signal to	310.2	contiguous regions served by
	multiple agent stations		respective fixed stations
271	.Special feature of multiplex	311	.Signaling for performing battery
	telephone terminal	311	saving
272	SEXTUPLEX	312	.Message addressed to multiple
273	QUADRUPLEX	312	destinations
274	.Repeater	313	.Portable address responsive
275	.Duplex diplex	313	receiver
276	DUPLEX	314	Using time division
277	.Communication over free space		multiplexing
278	Transmit/receive interaction	315	.Repeater
	control	316	Airborne or space satellite
279	Duplex repeaters		repeater
280	Time division	317	Including noise compensation
281	Frequency division	318	Including power control
282	.Transmit/receive interaction	319	Multiple access (e.g., FDMA)
	control	320	Code division (CDMA)
283	Artificial line	321	Time division (TDMA)
284	Differential	322	Channel reservation scheme
285	Bridge	323	Including onboard switching
286	Echo suppression or	324	Synchronization
	cancellation	325	Including onboard switching
287	Disabling or inhibiting	326	Combining or distributing
288	Using an attenuator		information via time channels
289	Having residual echo	327	In a trunking system
	cancellation or suppression	328	.Having a plurality of contiguous
290	Using a particular adaptive		regions served by respective
	filter		fixed stations
291	Using a transversal filter	329	Channel assignment
292	Using a training sequence	330	Having both time and frequency
293	.Duplex repeaters or extenders		assignment
294	.Time division	331	Hand-off control
295	.Frequency division	332	Based upon a particular
296	.Convertible to half duplex		signal quality measurement
297	DIPLEX	333	Signal quality determined by
298	LOW SPEED ASYNCHRONOUS DATA		bit error rate
	SYSTEM (E.G., TELETYPEWRITER SERVICE)	334	Using multiple antennas at a station
299	.Data switching exchange		

335	Combining or distributing	364	Having plural buses
	information via code word	365	Separate transmit and
	channels using multiple access		receive buses
226	techniques (e.g., CDMA)Combining or distributing	366	Including serial-parallel or
336	information via time channels		parallel-serial conversion for
337	Multiple access (e.g., TDMA)	267	input or output
		367	For distribution to a
338	Contiguous regions interconnected by a local area	368	multiplanar switching network
	network	308	Having details of control storage arrangement
339	.Plural usage of common antenna	369	Having time and space switches
340	.Using trunking	370	Having space switch as
341	Channel assignment	370	intermediate stage (e.g., T-S-
342	.Combining or distributing		T, T-S-S, or S-S-T)
512	information via code word	371	Having details of control
	channels using multiple access	3,1	storage arrangement
	techniques (e.g., CDMA)	372	Having time switch as
343	.Combining or distributing	0.2	intermediate stage (e.g., S-T-
	information via frequency		S or T-T-S)
	channels	373	Having supervisory signaling
344	Multiple access (e.g., FDMA)	374	Having details of control
345	.Combining or distributing		storage arrangement
	information via time channels	375	Time switch, per se (e.g., T
346	Polling		or T-T)
347	Multiple access (e.g., TDMA)	376	Time slot interchange, per se
348	Channel reservation scheme	377	Having supervisory signaling
349	Using messages having an	378	Having details of control
	address field as header		storage arrangement
350	Synchronization	379	Data memory addressing
351	PATHFINDING OR ROUTING	380	Space switch, per se (e.g., S
352	.Combined circuit switching and		or S-S)
	packet switching	381	Having details of control
353	Switching network having common		storage arrangement
	elements to handle both	382	Data memory addressing
	circuit switched traffic and	383	Control storage addressing
	packet switched traffic	384	Having a supervisory signaling
354	Switching network having		feature
	separate elements to handle	385	Having a separate signaling
	circuit switched traffic and		network
255	packet switched traffic	386	Particular switching network
355	Routing packets through a		arrangement
356	circuit switching networkRouting circuit switched	387	Multiplanar switch
330	_	388	Multistage switch
	traffic through a packet switching network	389	.Switching a message which
357	.Through a circuit switch		includes an address header
358	Switching input signals having	390	Replicate messages for multiple
330	different aggregate bit rates		destination distribution
359	Input or output circuit, per se	391	Switching input signals having
	(i.e., line interface)	200	different aggregate bit rates
360	Switching control	392	Processing of address header
361	Folded network	202	for routing, per se
362	Bus switch	393	Address concatenation
363	Having details of control	394	Sequencing or resequencing of
	storage arrangement		<pre>packets to insure proper output sequence order</pre>
			output bequeite order

395.1	Message transmitted using fixed length packets (e.g., ATM		Adapting frame relay/X.25 data (e.g., using AAL 3/4)
	cells)	395.64	Adapting connection-oriented
396	Distributed switching		variable bit rate (VBR) data
397	Employing logical addressing		(e.g., MPEG/HDTV packet video/
	for routing (e.g., VP or VC)		audio over ATM or using AAL2)
398	Centralized switching	395.65	Adapting connectionless
399	Employing logical addressing		variable bit rate (VBR) data
	for routing (e.g., VP or VC)		(e.g., adapting 802.X, or
395.2	Connection set-up/disconnect		using AAL5)
	(e.g., Connection Admission	395.7	Having detail of switch memory
	Control)		reading/writing
395.21	Based on traffic contract	395.71	Having input or output
	(including using setup	205 50	storage or both
	messages, QoS, delay/bandwidth	395.72	Having central (e.g., common)
205 2	requirement)	400	storage
395.3	Connection identifier	400	Having a plurality of nodes
205 21	assignment		performing distributed
395.31	Including routing table	401	switching
395.32	Employing particular	401	Bridge or gateway between networks
	searching function (e.g.,	402	Bridge between bus systems
	<pre>hashing, alternate, re- routing)</pre>	402	3
395.4	Assigning period of time for	403	At least one bus is a ring network
393.4	information to be transmitted	404	
	(e.g., scheduling)	404	Ring or loop forms backbone for interconnecting other
395.41	Based on bandwidth allocation		networks
333.11	(e.g., Weighted Round Robin)	405	The other networks are
395.42	Based on priority	103	ring or loop networks
395.43	Based on service category	406	Plurality of rings or loops to
333.13	(e.g., CBR, VBR, UBR, or ABR)	100	form a mesh network
395.5	Multiprotocol network	407	Interconnected star couplers
395.51	Utilizing a plurality of ATM	408	Nodes interconnected in
	networks (e.g., MPOA, SONET,		hierarchy to form a tree
	or SDH)	409	Employing logical addressing
395.52	Internet Protocol (including		for routing (e.g., VP or VC)
	TCP/IP or UDP/IP) over fixed	410	Having a signaling feature
	length packet network (e.g.,	411	Including sorting and merging
	IP over ATM)		networks
395.53	Emulated LAN (LANE/ELAN/VLAN,	412	Queuing arrangement
	e.g., Ethernet or token ring	413	Having both input and output
	legacy LAN over a single ATM		queuing
	network/LAN)	414	Contention resolution for
395.54	Address resolution (e.g.,		output
	ARP, or NHRP)	415	Having input queuing only
395.6	Adapting detail (e.g.,	416	Contention resolution for
	converting to/from ATM, or		output
	detail of ATM Adaption Layers	417	Having output queuing only
	(AALs))	418	Contention resolution for
395.61	Adapting constant bit rate		output
	(CBR) data (e.g., voice, or	419	Input or output circuit, per se
	narrow band ISDN over ATM, or		(i.e., line interface)
205 52	using AAL1)	420	For connecting plural
395.62	Detail of clock recovery or		subscribers to a network
	synchronization		(i.e., network termination)

421	Subscribers connected to	452	On ring or loop
	input or output circuit by a	453	Initialization or
	common bus		reinitialization of network
422	Centralized switching	454	Having multiple idle or busy
423	Including a bus for		signals simultaneously on the
	interconnecting inputs and		network
	outputs	455	Including priority
424	Including a ring or loop for		resolution
	interconnecting inputs and	456	Idle or busy signal erasure
	outputs		or frame erasure
425	Star configuration	457	Initialization or
426	Having a signaling feature		reinitialization of network
427	Space switching	458	.Using time slots
428	.Store and forward	459	Having indication of idle or
429	Particular storing and queuing		busy state of time slot
	arrangement	460	On ring or loop network
430	.FDM switching	461	Arbitration for access between
431	CHANNEL ASSIGNMENT TECHNIQUES		contending stations
432	.Messages addressed to multiple	462	.Arbitration for access to a
	destinations	102	channel
433	Only active channels transmitted	463	.Details of circuit or interface
434	Concentrator	103	for connecting user to the
435	TASI (Time Assignment Speech		network
400	Interpolation)	464	COMMUNICATION TECHNIQUES FOR
436	.Combined time and frequency	101	INFORMATION CARRIED IN PLURAL
400	assignment		CHANNELS
437	.Adaptive selection of channel	465	.Adaptive
<b>4</b> 37	assignment technique	466	Converting between protocols
120	.Using a separate control line or	467	Conversion between signaling
438	bus for access control	407	protocols
439	Control line is used to request	468	Assignment of variable
	or reserve access		bandwidth or time period for
440	Dual bus dynamic queuing		transmission or reception
	(i.e., DQDB)	469	Processing multiple layer
441	.Combining or distributing		protocols
	information via code word	470	Frame length
	channels using multiple access	471	Message having an address
	techniques (e.g., CDMA)		header
442	.Combining or distributing	472	Byte length
	information via time channels	473	Transmission of a single
	using multiple access		message having multiple
	technique (e.g., TDMA)		packets
443	Using channel reservation	474	.Assembly or disassembly of
444	With priority resolution		messages having address
445	.Carrier sense multiple access		headers
	(CSMA)	475	.Address transmitted
446	Using a star coupler	476	.Byte assembly and formatting
447	Arbitration for access between	477	.Transmission bandwidth
117	contending stations	1,,	conservation
448	Using weighted back-off timing	478	.Combined time division and
449	.Polling		frequency division
450	Passing a signal identifying	479	.Combining or distributing
	the idle or busy state of a		information via code word
	channel (e.g., token passing)		channels
451	On bus		

480	.Combining or distributing	515	Pseudo-random
	information via frequency	516	Adjusting for phase or jitter
401	channels	517	Including delay device
481	Multiple frequency translations	518	Provide plural phases of a
482	Particular carrier generation		clocking signal
483	Using angle modulation	519	Delay based upon propagation
484	Digital analysis or synthesis		delay time
405	of a group	520	Unique synchronization pulse
485	Subscriber carrier	521	Time compression or expansion
486	Program distribution	522	Signaling (ancillary to main
487	Combined communication of		information)
	diverse information types	523	Using bit robbing
488	Connecting filters	524	Using a dedicated signaling
489	Bus (distributed stations)		channel (i.e., D-channel)
490	Combined communication of	525	Digital tone signal generation
	diverse information types	526	Digital tone detection
491	Pilot	527	Superimposed or modulated on
492	Repeater		principal information
493	Combined voice and data	528	Inserted in gaps in main
	transmission		information
494	Data over voice	529	Information superimposed on
495	Data under voice		other information
496	Signaling	530	Staircase wave
497	Using particular filtering	531	Magnetic core for switching or
	technique		storage
498	.Combining or distributing information via time channels	532	Multiplexer or distributor and technique for handling low
499	Polarity multiplex		level input signal
500	Pilot	533	Multiplexer or distributor
501	Repeater		using pulse amplitude
502	Bus extenders		modulation
503	Synchronizing	534	Multiplexer or distributor
504	Reference indication consists		using electron beam switching
	of a gap		device
505	Pulse stuffing or deletion	535	Multiplexing combined with
506	Frame or bit stream		demultiplexing
	justification	536	Demultiplexing single signal
507	Mutual (reciprocal)		into plural parallel channels
	synchronization		(e.g., parallel transmission
508	Transmission time into time		for increasing transmission
	slots adjusted based upon		speed)
	propagation delay time	537	Multiplexing plural input
509	Using synchronization		channels to a common output
	information contained in a		channel
	frame	538	Plural input channels of
510	Synchronization information		different rates to a single
	is distributed over multiple	= 0.0	common rate output channel
	frames	539	Multiple levels of
511	Using redundant		multiplexing to form a
	synchronization words		multiplex hierarchy
512	Synchronization information	540	Plural input channels of same
	is distributed within a frame		rate to a single common rate
513	Plural synchronization words		output channel
514	Unique synchronization word		
	or unique bit sequence		
	=		

541	Multiple levels of	P
	multiplexing to form a	t
	multiplex hierarchy	r
542	Demultiplexing single input	Ċ
	channel to plural output	Γ
	channels	r
543	Different rate output channels	$\in$
544	Same rate output channels	t
545	Conversion of rate from a	f
	single input to a single	
	output	
546	MISCELLANEOUS	

Any foreign patents or non-patent literature from subclasses that have been reclassified have been transferred directly to FOR Collections listed below. These Collections contain ONLY foreign patents or non-patent literature. The parenthetical references in the Collection titles refer to the abolished subclasses from which these Collections were derived.

## CROSS-REFERENCE ART COLLECTIONS

901	WIDE AREA NETWORK
902	.Packet switching
903	OSI Compliant Network
904	Integrated Services Digital Network (ISDN)
905	Asynchronous Transfer Mode (ATM)
906	Fiber Data Distribution Interface (FDDI)
907	<pre>Synchronous Optical network   (SONET)</pre>
908	LOCAL AREA NETWORK
909	.Token ring
910	.Carrier sense multiple access (e.g., Ethernet, 10Base-T)
911	.Bridge (e.g., brouter, bus extender, etc.)
912	PACKET COMMUNICATIONS
913	.Wireless or radio
914	RATE CONVERTER
915	TIME DIVISION CELLULAR RADIO
	SYSTEMS
916	MULTIPLEXER/DEMULTIPLEXER

## FOREIGN ART COLLECTIONS

FOR 000 CLASS-RELATED FOREIGN DOCUMENTS

## FOR 100 SIMULTANEOUS TELEGRAPHY AND TELEPHONY (370/125) FOR 101 MULTIPLEX SWITCHING (370/53) FOR 102 .Pathfinding (370/54)

FOR 103 .Drop channel (370/55) FOR 104 .Concentrators (370/56)

FOR 105 .FDM switching (frequency division multiplexing) (370/57)

FOR 106 .TDM switching (time division multiplexing) (370/58.1)

FOR 107 ... Control processing (370/58.2)

FOR 108 ...Distributed (370/58.3)

FOR 109 ..T-S (Time-Space) or S-T (370/

FOR 110 ..Packet or addressed data (370/

FOR 111 ...Combined with circuitswitching (370/60.1)

FOR 112 .. Store and forward (370/61)

FOR 113 .. Special services with switching (e.g., conference) (370/62)

FOR 114 ..TST (Time-Space-Time) (370/63)

FOR 115 ..STS (Space-Time-Space) (370/64)

FOR 116 .. Folded network (370/65)

FOR 117 ... Space stage, per se (370/65.5)

FOR 118 ..Time only (370/66)

FOR 119 ...Bus switch (370/67)

FOR 120 ..Time slot interchangers, per se (370/68)

FOR 121 ..With signalling feature (370/68.1)

FOR 122 FREQUENCY DIVISION (370/69.1)

FOR 123 .Multiple frequency translations (370/120)

FOR 124 .Carrier generation (370/121)

FOR 125 .Angle modulation (370/122)

FOR 126 .Filtering techniques (370/123)

FOR 127 .Digital analysis or synthesis of group (370/70)

FOR 128 .Subscriber carrier (370/71)

FOR 129 ... Connecting filters (370/72)

FOR 130 ..Program distribution (370/73)

FOR 131 .Bus (distributed stations) (370/ FOR 170 .. Reference indication consists of a gap (370/101)124) FOR 132 .Pilot (370/74) FOR 171 .. Pulse stuffing or deletion FOR 133 .Repeaters (370/75) (370/102)FOR 134 .Signalling (370/76) FOR 172 .. Mutual (reciprocal) FOR 135 TIME DIVISION (370/77) synchronization (370/103) FOR 173 .. Moving satelite (370/104.1) FOR 136 .Polarity multiplex (370/78) FOR 174 ..Distributed (370/105) FOR 137 .Adaptive systems (370/79) FOR 175 ..Frame (370/105.1) FOR 138 .. Only active channels transmitted (370/80) FOR 176 .. Channel (370/105.2) FOR 139 ... TASI (Time assigned speech FOR 177 ..Bit phase or jitter (370/105.3) FOR 178 .. Unique synchronization word interpolation) (370/81) FOR 140 .. Frame length (370/82) (370/105.4)FOR 179 .. Unique sychronization pulse FOR 141 ..Byte length (370/83) (370/105.5) FOR 142 .. Rate (370/84) FOR 143 .Bus transmission (370/85.1) FOR 180 .. Plural sychronizing words (370/ 106) FOR 144 .. Contention (370/85.2) FOR 181 .. Pseudo-random (370/107) FOR 145 ... Carrier sense (370/85.3) FOR 182 .. Including delay device (370/ FOR 146 ... Token passing (370/85.4) 108) FOR 147 ....Loop or ring (370/85.5) FOR 183 .Time compression or expansion FOR 148 ..Priority (370/85.6) (370/109)FOR 149 .. Variable channel assignment FOR 184 .Signalling (ancilliary to main (370/85.7)information) (370/110.1) FOR 150 ...Polling (370/85.8) FOR 185 ...Digital tone signal generation FOR 151 ..Plural bus (370/85.9) FOR 152 ...With separate control bus (370/110.2)FOR 186 ..Digital tone detection (370/ (370/85.11)110.3) FOR 153 ...Loop or ring (370/85.12) FOR 187 ... Superimposed or modulated on FOR 154 ...Bridge between bus systems principal information (370/ (370/85.13)110.4) FOR 155 .... Interconnection between ring FOR 188 .. Inserted in gaps in main or loop (370/85.14) information (370/111) FOR 156 ..Loop or ring (370/85.15) FOR 189 .Multiplexers/distributors FOR 157 .Asynchronous and nonsynchronous (hierarchy and level) (370/ (370/91)112) FOR 158 .. Address transmitted (370/92) FOR 190 .. Apparatus and techniques for FOR 159 ...Multiple access, discrete handling low level input address (370/93) signals (370/113) FOR 160 ... Packet (370/94.1) FOR 191 .. Pulse amplitude modulation FOR 161 ....Combined with synchronous (370/114)information (370/94.2)FOR 192 .. Electron beam switching device FOR 162 ....Star, tree, or mesh networks (370/115)(370/94.3)FOR 193 .Staircase wave (370/116) FOR 163 .Variable channel assignment FOR 194 .Magnetic core for switching or (370/95.1)storage (370/117) FOR 164 .. Polling (370/95.2) FOR 195 TRANSMISSION BANDWIDTH FOR 165 .. Time division multiple access CONSERVATION (370/118) (370/95.3)FOR 196 MISCELLANEOUS (370/119) FOR 166 .TDM pulse repeater (370/97) PATHFINDING OR ROUTING FOR 167 .Pilot (370/98) .Switching a message which FOR 168 .Byte assembly and formatting includes an address header (370/99)

FOR 169 .Synchronizing (370/100.1)

FOR 197 ..Message transmitted using regularly occurring fixed length time intervals (e.g., ATM) (370/395)